



Cavitar Welding Camera

FOR
**DEMANDING
WELDING**
PROCESSES



CAVITAR WELDING CAMERA

Value in Sight

We at Cavitare are here to bring you Value in Sight with our diode-laser based illumination systems and welding cameras that reveal your application and processes with the level of clarity and detail you have never seen before.

For visualization of various welding techniques

- ARC WELDING • LASER WELDING
- HYBRID WELDING • PLASMA WELDING
- ROBOT WELDING • COLUMN AND BOOM WELDING • ADDITIVE MANUFACTURING

We offer versatile products, systems and solutions for industrial visual process monitoring and R&D, as well as for scientific research, for integrators, OEM manufacturers, and end-users alike. In addition to our high-performance CAVILUX systems and Cavitare Welding Cameras, we also offer customized solutions.



BENEFITS

See through the blinding welding arc

- High-quality visualization of welding processes in real-time
- Clear view with all details without disturbing process light
- Reveals the details of the welding process core at once (e.g. melt pool, keyhole, defects)



Better quality control through real-time view

- Detection of problems and defects early in the process
- Alignment of the welding torch to the gap, observe melt pool behavior, see the filler material, etc.
- Process documentation for quality assurance



Save time and resources - Less scrap and higher yield

- Early defect detection for immediate process corrections
- Savings in materials, time and work
- Improved manufacturing repeatability and traceability
- Savings in process set-up and problem-solving time
- Minimized downtime or lost production time


**Designed, Engineered and
Manufactured in Finland**

Improved ergonomics and safety

- Better ergonomics for the operator - manage and view the welding process without being forced into uncomfortable, far-reaching or dangerous positions
- Remote process monitoring - avoid exposure to arc and toxic welding fumes
- Improved overall employee health and safety

For welding education and training


- Novel way of teaching, demonstrating and learning how high-quality welds are achieved
- Sharing welder's view on a large screen (possible also over remote connections)
- Recording of welding sessions for further learning, practicing, feedback and examination purposes
- Experienced welders can benefit from the camera in perfecting their skills
- Can be used for welders' qualification and certification purposes




FACE AND ROOT SIDE OF TIG WELDING
(SAKKY FINLAND)



NARROW GROOVE WELDING
(SAKKY FINLAND)



MIG/MAG WELDING (HT LASER)



WAAM (RAMLAB)

**For Ultimate Real-Time
Process Visualization**

Features

CAVITAR WELDING CAMERA

| MODEL | C400 | C300 |
|---------------------------------------|--|--|
| Description | 4th generation compact welding camera for demanding environments with integrated illumination and cooling channels | 3rd generation compact welding camera for demanding environments with integrated illumination and cooling channels |
| Main applications | GMAW, TIG, Plasma, Robotic, Additive Manufacturing | GMAW, TIG, Plasma, Robotic, Additive Manufacturing |
| Camera unit | | |
| Max resolution (pixel) | 1440 x 1080 | 1440 x 1080 |
| Max frame rate (fps) ⁽¹⁾ | 70 ⁽²⁾ | 70 ⁽²⁾ |
| Working distance (mm) | 150...300 | 150...300 |
| Field of view (mm²) | | |
| @ working distance 150 mm | 28 x 21 | 28 x 21 |
| @ working distance 200 mm | 40 x 30 | 40 x 30 |
| @ working distance 250 mm | 51 x 38 | 51 x 38 |
| @ working distance 300 mm | 62 x 47 | 62 x 47 |
| Size (WxHxL, mm ³) | 38 x 48 x 99 | 30 x 45 x 99 |
| Weight (g) | 350 | 200 |
| Laser wavelength (nm) | 640 | 640 |
| Laser class | 3R | 3R |
| Camera interface | Gigabit Ethernet | Gigabit Ethernet |
| Gigabit Ethernet connector | M12, X-coded | M12, X-coded |
| Power & IO connector | M12 | M8 |
| Cooling options | Passive: heatsink, heat conduction Active: air, liquid | Passive: heatsink, heat conduction Active: air, liquid |

1. At full resolution, dependent on computer performance
2. Up to 500 fps with reduced resolution (720 x 540 pixels) with high-speed version having USB3 interface
3. All values are approximate values, design working distance is 200 mm.

Custom solutions are possible.



Cavitar Welding Camera – Compact solution with big vision



High-performance camera sensor with active illumination



Designed for 24/7 use in harsh industrial environments, robust with spatter protection and optional air-knife



Up to 500 fps (with reduced resolution)



Plug-and-play for easy use and set-up



Easy adjustment of working distance



Various active and passive cooling options




Easily integrated to tight, hard-to-reach places



Camera platform for AI based process control


Application images



YAG LASER WELDING




LASER WELDING, INSIDE TUBE
MONITORING OF THE ROOT SIDE




MIG WELDING, LONGITUDINAL



TIG WELDING, NARROW GROOVE,
ORBITAL



TIG WELDING, STRUCTURED LIGHT,
INCOMPLETE WELD



TIG WELDING, STRUCTURED LIGHT,
COMPLETE WELD



Evolution of
Cavitator Welding
Camera

– Since 2012



www.cavitar.com/social

Cavitar Ltd
Tampere, Finland

www.cavitar.com
Tel. +358 3 447 9330